

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name SUBWAY #22660 (SERVELL 2 INC)	Telephone Number Est 626-991-1766 Own	Date of Inspection 07/13/2022	ID#
Address 3008 CHARLESTOWN CROSSING, NEW ALBANY IN 4			
Owner MONISH KAPUR	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 07/27/2022	Released 07/13/2022
Owner's Address 2993 SEASONS DR GREENWOOD, IN 46143		Menu Type 1 <input type="checkbox"/> 2 <input checked="" type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge ADDISON COOK			
Responsible Person's Email			
Certified Food Handler			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
118	X			Observed no Certified food manager's certificate. Owner and Manager should consider getting certified.	2 weeks
173	X			Observed employee phone on prep table. If phone is handled, hands should be washed before putting on gloves.	today
187	X			Observed thermometer on right cooler containing vegetables, sliced tomato, and cheese reading 58F. Cheese was measured at 51F. Tomatoes and cheese were moved to ice pans, These are both potentially hazardous and should be stored at 41F or below. Est. needs to verify the storage method is keeping these products below 41F until cooler can be repaired.	1 week
344	X			Observed items in front handwashing sink behind prepline. This sink can only be used for washing hands,	Corrected/ retrain staff
256		X	X	Observed no thermometer in walk-in cooler. Observed broken thermometer in prep cooler. After the inspection, owner called and said both units had them. The person in charge should be able to locate thermometer to check temperatures daily.	retrain staff
244		X		Observed single-service cups stored under an unshielded sewer line in front of house handwashing cabinet.	1 day
297		X		Observed food debris around edges of prep cooler where there is a gap in the sheet metal. Observed hot well in need of cleaning. Observed unclean water under pans on right prep/display cooler.	1 day
431		X		Observed additional cleaning needed under storage rack across from 3-comp sink and around C02 tank.	1 day
295		X		Observed dried onion on slicer. Slicer should be cleaned after each use.	today
324		X		Observed the right bay of 3-comp sink to be leaking. PIC stated they are using the first bay to wash and rinse and the second to sanitize. This method is acceptable until repairs can be made.	2 weeks
433		X	X	Observed mop not hung to dry. Observed mop left in mop water.	today
392		X		Observed side doors of the shared dumpsters to be left open.	today

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name SUBWAY #22660 (SERVELL 2 INC)	Telephone Number Est 626-991-1766 Own	Date of Inspection 07/13/2022	ID#
Address 3008 CHARLESTOWN CROSSING, NEW ALBANY IN 4			
Owner MONISH KAPUR	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 07/27/2022	Released 07/13/2022
Owner's Address 2993 SEASONS DR GREENWOOD, IN 46143		Menu Type 1 _ 2 <u>X</u> 3 _ 4 _ 5 _	
Person in Charge ADDISON COOK			
Responsible Person's Email			
Certified Food Handler			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected

Summary of Violations C <u>4</u> NC <u>8</u> R <u>2</u>		
Received by (name and title printed): MONISH KAPUR		Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):		Inspected by (signature): <i>Thomas Snider</i>
cc:	cc:	cc: